

SAFETY DATA SHEET

This SDS complies with REACH 1907/2006 and 2001/58/EC, GHS REVISION 5, OSHA 29CFR 1910.1200

Section 1: Chemical Product and Company Identification

MANUFACTURER'S NAME: EMERGENCY TELEPHONE

ABM/Organitec Chemtrec 24 hrs, USA: (800) 424-9300

936 N. Stadem Drive

Ste 5 Information: 480-921-3110

Tempe, AZ 85281Fax:480-921-3225Safety Data Sheet Competent Person:Customer Servicebioman51@aol.com

DATE PREPARED: August 2, 2018 REVISION DATE: August 2, 2018

PRODUCT NAME: Calcine

FORMULA: Preparation/Mixture PRODUCT USE: Water treatment

Section 2: Hazards Identification

GHS Hazard Class Skin Corrosion/Irritation -- Category 2

Signal word: Warning

Hazard Statement: H315 Causes skin irritation
Precautionary Statements: Prevention P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/ eye protection/face protection

Response P302 + P352 IF ON SKIN: wash with plenty of soap and water.
P332 + P313 If skin irritation occurs, get medical advice/attention.

P332 + P313 If skin irritation occurs, get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash before reuse.

Storage No Precautionary statement
Disposal No Precautionary statement

Hazards not otherwise classified (HNOC) or not covered by GHS - None

HAZARD CLASSIFICATION: Not classified as Hazardous based on IATA, IMO and DOT.

FIRE AND EXPLOSION: Not considered flammable or combustible.

POTENTIAL HEALTH EFFECTS: <0 % of mixture consists of ingredients of unknown acute toxicity

CHRONIC EFFECTS OF OVEREXPOSURE: None

APPEARANCE: Clear straw liquid

NFPA Rating:

Component	Health	Flammability	Reactivity	Special
	(Blue)	(Red)	(Yellow)	(White)
Calcine	2	0	0	



Section 3: Composition, Information on Ingredients

PRODUCT COMPOSITION	APPRX %	CAS NO.	EINECS/ ELINCS	DSL CANADA
Inerts	>75	7732-18-5		Y
TS1	<10		Y/N	Y
TS2	<15		Y/N	Y
TS3	<5		Y/N	Y

Trade Secret (TS): Some items on this SDS may be designated as trade secrets. Bonafide requests for disclosure of trade secret information to medical personnel must be made in accordance with the provisions contained in 29 CFR 1910.1200 I 1-13.

Section 4: First Aid Measures

Description of First Aid Measures

INHALATION: Remove to fresh air. If not breathing, provide CPR (cardio pulmonary

resuscitation). Get immediate medical attention.

SKIN CONTACT: Flush skin with plenty of soap and water for at least 15 minutes. Remove

contaminated clothing.

EYE CONTACT: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate

medical attention.

INGESTION: If swallowed do not induce vomiting, give large quantities of water to drink. Never

give anything to an unconscious person. Get immediate medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms/Injuries after Inhalation May cause respiratory tract irritation.

Symptoms/Injuries after Skin Contact Causes skin burns.
Symptoms/Injuries after Eye Contact Causes eye burns.

Symptoms/Injuries after Ingestion May be harmful if swallowed. May cause stomach distress, nausea, or vomiting.

Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately.

Section 5: Fire-fighting Measures

Suitable extinguishing media None

Special hazards arising from the substance or mixtureNo data available.

Protective actions fire-fightersWear standard protective equipment and self contained breathing

apparatus for firefighting if necessary.

Further information None

Section 6: Accidental Release Measures

Personal precautions, protective equipment, and emergency procedures

Wear proper protective equipment as specified in Section 8: Exposure Controls/Personal Protection

Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent spills or contaminated rinse water from entering sewers or watercourses.

Methods and materials for containment and cleaning up

Warn other workers of spill and contain spill.

Recover spill by using absorbent and sweeping up waste material.

In case of large spills, dike the spill, if possible. Call emergency services.

Place material into a chemical waste container.

Prevent spills or contaminated rinse water from entering sewers or watercourses.



Reference to other Sections For personal protection reference section 8. For disposal reference section 13.

Section 7: Handling and Storage

Precautions for safe handling

Wear proper protective equipment and avoid contact with skin, eyes, or clothing. Wash hands after handling this material.

Conditions for safe storage, including any incompatibilities

Store upright at temperatures >40°F

Keep container closed when not in use.

Follow all applicable local regulations for handling and storage.

Utilize chemical segregation.

Specific uses: Water treatment

Section 8: Exposure Controls/Personal Protection

Control Parameters

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH REL
Inerts			
TS1	5 mg/m3		
TS2			

Exposure controls

VENTILATION: Always provide good general, mechanical room ventilation where this product is

used.

SPECIAL VENTILATION CONTROLS: Use this product material inside totally enclosed equipment, or use it with local

exhaust ventilation at points where vapors can be released into the workspace air.

RESPIRATORY PROTECTION: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or the

European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149

approved respirator if exposure limits are exceeded or if irritation or other

symptoms are experienced.

PROTECTIVE GLOVES: Wear chemical impervious gloves at all times while working with this

product. Recommended glove types include: Rubber, Laminate Film, Nitrile, or

Tri-polymer. Check with your company's glove supplier to ensure

chemical resistance.

EYE PROTECTION: Safety Glasses, Chemical goggles, face shield

PROTECTIVE CLOTHING: Wear suitable protective clothing to prevent skin contact. Use of anti-static type

aprons is recommended.

OTHER EQUIPMENT: Make safety shower, eyewash stations, and hand washing equipment available in

the work area.

WORK/HYGIENE PRACTICES: Avoid breathing vapor. Avoid contact with eyes. Wash hands after handling.

Section 9: Physical and Chemical Properties

	PRODUCT CRITERIA
APPEARANCE - COLOR:	Clear straw
PHYSICAL STATE:	Liquid
ODOR:	Mild
ODOR THRESHOLD	Not Available for product
рН	3.7—4.5
MELTING POINT/FREEZING POINT:	Not Available for product
INITIAL BOILING POINT AND BOILING RANGE:	Not Available for product
FLASH POINT:	Not Available for product



EVAPORATION RATE:	Same as water
FLAMMABILITY (Solid, gas)	Not Available for product
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	Not Measured
VAPOR PRESSURE	Same as water
VAPOR DENSITY (AIR = 1)	Same as water
RELATIVE DENSITY (@25 °C):	1.04
SOLUBILITY(IES)	Partially soluble in water
OXIDIZING PROPERTIES	Not Available for product
PARTITION COEFFICIENT: n-octanol/water	Not Available for product
AUTO IGNITION TEMPERATURE	Not Available for product
DECOMPOSITION TEMPERATURE	Not Available for product
VISCOSITY	Not Available for product
WEIGHT PER POUND	9.29 lbs/gallon

Section 10: Stability and Reactivity

Reactivity: Not reactive.

Chemical Stability: Stable

Possibility of Hazardous Reactions: Will not occur

Conditions to Avoid: None

Incompatibility (Materials to Avoid):

Hazardous Decomposition Products:

Bases, Oxidizing agents, reducing agents
Carbon Dioxide and Carbon monoxide

Section 11: Toxicological Information

GHS Required Criteria	Toxicity Criteria	Toxicity Information	Comments	Chemical Constituent
Acute Toxicity	LD50 (Oral/Rat):	5530 mg/kg		TS1
•	LD50 (Oral/Rabbit):	2200 mg/kg		TS1
	LD50 (Oral/Mouse):	5846 mg/kg		TS1
	LD50 (Dermal/Rabbit):	22.5 g/kg		TS1
	LD50 (Oral/Rat):	1950 mg/kg		TS2
	LC50 (Inhalation/Rat):	7100 mg/m3 4 hours		TS2
	LC50 (Inhalation/Rat):	3.6 mg/l 4 hours	Male	TS2
	LC50 (Inhalation/Rat):	>5.2 mg/l 4 hours	Female	TS2
	LD50 (Oral/Rat):	8471 mg/kg		TS3
Skin Corrosion/Irritation	Rabbit skin	Severe skin irritation		TS2
	Rabbit	No Irritation		TS1
Serious Eye Damage / Eye Irritation	Rabbit	No Irritation		TS1
	Rabbit	Severe eye irritation		TS2
Respiratory or Skin Sensitization		No information is available.		
Germ Cell Mutagenicity		No information is available.		
Carcinogenicity		Not listed	NTP	
		3 - Group 3: Not classifiable as to its carcinogenicity to humans	IARC	TS1
		Not listed	OSHA	
Reproductive Toxicity		No information is available.		
STOT Single Exposure		No information is available.		
STOT – Repeated Exposure		No information is available.		
Aspiration Hazard		No information is available.		

STOT = Specific Target Organ Systemic Toxicity



Section 12: Ecological Information

Toxicity:	LC50 – Lepomis macrochirus (Bluegill) -> 450 – 1,000 mg/l - 96 h	TS1
	LC50 – Danio reria (zebra fish) - 5000 mg/l - 96 h	TS2
	EC50 - Daphnia magna (Water flea) – 609.98 mg/l - 48 h	TS1
LC50 Fish 1	16200 - 18300 mg/I (Exposure time: 96 h - Species: Poeci lia reticulata)	TS3
EC50 Daphnia 1	3910 mg/I (Exposure time e: 48 h - Species: Daphnia magna [Static))	TS3
Persistence and degradability:	96% Readily Biodegradable	TS1
Bioaccumulative potential	No information is available.	
Mobility in soil:	No information is available.	
PBT and vPvB assessment:	No information is available.	
Other adverse effects:	No information is available.	

Section 13: Disposal Considerations

Waste from residues/unused products: Follow the waste disposal requirements of your country, state, or local authorities.

Contaminated packaging: Contaminated packaging material should be disposed of as stated above for residues and unused product.

Rinsate: Do not dispose of rinse water containing product in a sanitary sewer system or stormwater drainage system.

Section 14: Transport Information

 DOT TRANSPORT:
 Not Regulated

 RAIL TRANSPORT:
 IMDG
 Not Regulated

 SEA TRANSPORT:
 IATA/ICAO
 Not Regulated

 AIR TRANSPORT:
 IATA/ICAO
 Not Regulated

 ADR = International Carriage of Dangerous Goods by Road
 Not Regulated

Section 15: Regulatory Information

TOXIC SUBSTANCES CONTROL ACT (TSCA) STATUS:

This product is in compliance with rules, regulations, and orders of TSCA. All components are listed on the TSCA Inventory.

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA) TITLE III SECTION 313 SUPPLIER NOTIFICATION:

This regulation requires submission of annual reports of toxic chemical(s) that appear in section 313 of the Emergency Planning and Community Right To Know Act of 1986 and 40 CFR 372. This information must be included in all SDS's that are copied and distributed for the material. The Section 313 toxic chemicals contained in this product are: None

CALIFORNIA PROPOSITION 65:

This regulation requires a warning for California Proposition 65 chemical(s) under the statute.

The California proposition 65 chemical(s) contained in this product are: None

STATE RIGHT-TO-KNOW TOXIC SUBSTANCE OR HAZARDOUS SUBSTANCE LIST:

Florida Toxic Substance(s):

Massachusetts's hazardous substance(s):

Pennsylvania hazardous substance code(s):

New Jersey

Illinois

Not listed

Michigan

Not listed

Not listed

CANADA:

WHMIS-2015: This SDS is in compliance with WHMIS 2015 (HPR / new HPA).



EUROPEAN UNION:

This product has been reviewed for compliance with the following European Community Directives: REACH 1907/2006; Directive 67/548/EEC, Regulation (EC) No 1272/2008 on classification, labeling, and packaging (CLP) of substances and mixtures.

Section 16: Other Information

Initial issue date: August 6, 2018 Final revision date: August 6, 2018

Revision Number:

Revision explanation Initial version

Information Sources: RTECS, ECHA, REACH, OSHA 29CFR 1910.1200

FOR INDUSTRIAL USE ONLY

Abrasive Belt Master / Organitec believes the information contained herein is accurate; however, Abrasive Belt Master / Organitec makes no guarantees with respect to such accuracy and assumes no liability in connection with the use of the information contained herein which is not intended to be and should not be construed as legal advice or as insuring compliance with any federal, state or local laws or regulations. Any party using this product should review all such laws, rules, or regulations prior to use, including but not limited to US and Canada Federal, Provincial and State regulations.

NO WARRANTY IS MADE, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OTHER WISE.